

CERTIFICATE OF ANALYSIS

Prepared for:

Peak Therapeutics

P.O. Box 2140

Breckenridge, CO USA 80424

PT_Frosty_808_100mg per ML

Batch ID or Lot Number: Batch 2401	Test: Residual Solvents	Reported: 03May2024	USDA License: N/A
Matrix: Finished Product	Test ID: T000279234	Started: 02May2024	Sampler ID: N/A
	Method(s): TM04 (GC-MS): Residual Solvents	Received: 30Apr2024	Status: Active

Residual Solvents	Dynamic Range (ppm)	Result (ppm)	Notes
Propane	68 - 1367	ND	
Butanes (Isobutane, n-Butane)	143 - 2863	ND	
Methanol	56 - 1119	ND	
Pentane	76 - 1529	ND	
Ethanol	81 - 1628	ND	
Acetone	90 - 1801	ND	
Isopropyl Alcohol	96 - 1917	ND	
Hexane	6 - 112	ND	
Ethyl Acetate	93 - 1852	ND	
Benzene	0.2 - 3.6	ND	
Heptanes	86 - 1716	ND	
Toluene	17 - 331	ND	
Xylenes (m,p,o-Xylenes)	119 - 2371	ND	

Final Approval



Karen Winternheimer
03May2024
01:11:00 PM MDT

PREPARED BY / DATE



Phillip Travisano
03May2024
01:14:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/d8f30baf-beef-4521-b34c-0200483b02ea>

Definitions

ND = None Detected (defined by dynamic range of the method)
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

CDPHE Certified

d8f30bafbeef4521b34c0200483b02ea.1