

Prepared for:

Peak Therapeutics

P.O. Box 2140

Breckenridge, CO USA 80424

Peak Therapeutics CBD Base Tincture

Batch ID or Lot Number: 25-0131	Test: Pesticides	Reported: 17Jun2025	USDA License: NA
Matrix: Finished Product	Test ID: T000306296	Started: 16Jun2025	Sampler ID: NA
	Method(s): TM17 (LC-QQ LC MS/MS)	Received: 09Jun2025	Status: NA

Pesticides

	Dynamic Range (ppb)	Result (ppb)
Abamectin	389 - 2670	ND
Acephate	46 - 2787	ND
Acetamiprid	42 - 2739	ND
Azoxystrobin	43 - 2755	ND
Bifenazate	39 - 2760	ND
Boscalid	42 - 2727	ND
Carbaryl	42 - 2748	ND
Carbofuran	44 - 2733	ND
Chlorantraniliprole	39 - 2719	ND
Chlorpyrifos	34 - 2761	ND
Clofentezine	297 - 2769	ND
Diazinon	285 - 2769	ND
Dichlorvos	278 - 2794	ND
Dimethoate	43 - 2775	ND
E-Fenpyroximate	284 - 2724	ND
Etofenprox	39 - 2727	ND
Etoxazole	288 - 2708	ND
Fenoxycarb	1 - 2797	ND
Fipronil	7 - 2794	ND
Flonicamid	38 - 2820	ND
Fludioxonil	317 - 2758	ND
Hexythiazox	41 - 2726	ND
Imazalil	296 - 2793	ND
Imidacloprid	44 - 2819	ND
Kresoxim-methyl	43 - 2798	ND

	Dynamic Range (ppb)	Result (ppb)
Malathion	296 - 2803	ND
Metalaxyl	41 - 2745	ND
Methiocarb	45 - 2729	ND
Methomyl	42 - 2795	ND
MGK 264 1	163 - 1704	ND
MGK 264 2	118 - 1092	ND
Myclobutanil	47 - 2680	ND
Naled	42 - 2715	ND
Oxamyl	44 - 2752	ND
Paclobutrazol	46 - 2715	ND
Permethrin	286 - 2776	ND
Phosmet	43 - 2757	ND
Prophos	319 - 2718	ND
Propoxur	42 - 2746	ND
Pyridaben	284 - 2697	ND
Spinosad A	30 - 2028	ND
Spinosad D	72 - 704	ND
Spiromesifen	278 - 2686	ND
Spirotetramat	295 - 2708	ND
Spiroxamine 1	20 - 1197	ND
Spiroxamine 2	26 - 1501	ND
Tebuconazole	313 - 2737	ND
Thiacloprid	43 - 2761	ND
Thiamethoxam	43 - 2786	ND
Trifloxystrobin	42 - 2724	ND

Final Approval



Judith Marquez
17Jun2025
07:42:00 AM MDT

PREPARED BY / DATE



Sam Smith
17Jun2025
07:53:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/a68aadf6-9ae5-4767-81da-536721d069b3>

Definitions

ND = None Detected (defined by dynamic range of the method)

Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

ppb = Parts Per Billion

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

a68aadf69ae5476781da536721d069b3.1