

Prepared for:

**Safer Products Peak Therapeutics**

4900 East Pacific Place  
Denver, CO USA 80222

## 10mg CBG Gummy Disc - 1.5g

Batch ID or Lot Number: <b>08222024</b>	Test: <b>Potency</b> <b>Text</b>	Reported: <b>26Aug2024</b>	USDA License: N/A
Matrix: Concentrate	Test ID: T000220227	Started: 23Aug2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 22Aug2024	Status: N/A

### Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.012	0.032	ND	ND	
Cannabichromenic Acid (CBCA)	0.011	0.029	ND	ND	
Cannabidiol (CBD)	0.030	0.085	ND	ND	
Cannabidiolic Acid (CBDA)	0.031	0.087	ND	ND	
Cannabidivarin (CBDV)	0.007	0.020	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.013	0.036	ND	ND	
Cannabigerol (CBG)	0.007	0.018	0.700	7.00	
Cannabigerolic Acid (CBGA)	0.029	0.076	ND	ND	
Cannabinol (CBN)	0.009	0.024	ND	ND	
Cannabinolic Acid (CBNA)	0.020	0.052	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.034	0.091	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.031	0.082	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.027	0.073	ND	ND	
Tetrahydrocannabivarin (THCV)	0.006	0.017	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.024	0.064	ND	ND	
<b>Total Cannabinoids</b>			<b>0.700</b>	<b>7.00</b>	
Total Potential THC			ND	ND	
Total Potential CBD			0.700	7.00	

### Final Approval



Daniel Weidensaul  
26Aug2024  
01:36:00 PM MDT



Jacob Miller  
26Aug2024  
01:37:00 PM MDT

PREPARED BY / DATE

APPROVED BY / DATE

#### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).  
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDa \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02  
df9501cb586d47c9bb4bd628131d429a.1